



- Notes:
- Do not scale from this drawing.
 - For clarity, existing utilities covers and hatches are not shown on this drawing. Contractor carrying out S278 works is required to obtain relevant permissions and adjust all utility manhole covers to be level with the proposed surface finishes.
 - Kingsway Road lane widths to be checked to ensure minimum width of 3.30m for each lane on completion.

- Legend:
- New Footway Stone
 - New Footway Stone (strengthened sub-base)
 - New Loading Asphalt Finish
 - New Cobble Style paving
 - New Paving for bellmouth, cross-over and loading tailgate
 - Sign Post
 - Tactile Paving

Note: To be printed in color.

SIGN PLATES				Post	Installation	Foundation			Remarks	Illumination
Sign No.	Description	Diag. No.	Size			(all dimension in mm)				
Sign 1A	No entry for vehicular traffic	616	-	-	-	-	-	-	Existing signage, unchanged	Yes
Sign 1B	Speed Limit Sign	670	-	-	-	-	-	-	Existing signage, unchanged	Yes
Sign 2A	No entry for vehicular traffic	616	-	-	-	-	-	-	Existing signage, moved to new location	Yes
Sign 2B	Speed Limit Sign	670	-	-	-	-	-	-	Existing signage, moved to new location	Yes
Sign 3	Parking Signage	660.3	-	-	-	-	-	-	Existing Parking sign reused, one way signage removed, see clearance plan	Yes
Sign 4	Parking signage	660.3	-	-	-	-	-	-	Existing signage Permit Holders only, N, 9am to 8pm	Yes
Sign 5	Local advisory sign	-	-	-	-	-	-	-	Existing local sign, unchanged	Yes
Sign 6	Parking Signage	660.3	-	-	-	-	-	-	Existing signage Permit holders, N, 9am to 8pm or Pay and display	Yes
Sign 7	Yellow Lighting bollard with Keep Left	610	-	-	-	-	-	-	Existing signage	Yes
Sign 8	One Way	606/607	600	3650x75	2100	675	250	250	Position centrally within the island.	Yes
Sign 9	No Right Turn	612	600	3650x75	2100	675	250	250	Sign to face the development, minimum 450mm from carriageway edge	Yes
Sign 10	One Way	609/607	600	3650x75	2100	675	250	250	Sign to face the development, minimum 450mm from carriageway edge	Yes
Sign 11	Loading Only	640.4	240 x 600	-	-	-	-	-	"Except for Authorised Vehicles". Sign to be mounted on same post as Sign 10, facing highway	Yes
Sign 12	Loading Only	640.4	240 x 600	3650x75	2100	675	250	250	"Except for Authorised Vehicles", mounted facing highway	Yes
Sign 13	One Way	606/607	600	3650x75	2100	675	250	250	min 450 from edge of carriageway, with 1m clearance to wall.	Yes
Sign 14	Keep Left	610	300	-	-	-	-	-	"Keep Left" on illuminated bollard	Yes

PROPOSED LAYOUT

Scale 1:150

10	22.10.19	KK	Issued for Information
Rev.	Date	Drawn	Amendment

PRINGUER-JAMES
CONSULTING ENGINEERS
10 Beulah Road, Wimbledon, LONDON, SW19 3SB
Phone: 020 8940 4159
Email: mail@pjce.com Website: www.pjce.com

ROCCO HOMES LTD
KINGSWAY, HOVE
PROPOSED ARRANGEMENT

Status:	APPROVAL
Scales:	As noted @ A1
Date:	Aug. 2017
Drawn:	JC
Engineer:	VM
Checked:	TP
Drawing No.	L2218-C-95-201
Revision	10

