

BRIGHTON AND HOVE CITY COUNCIL

LIST OF APPLICATIONS DETERMINED BY THE DIRECTOR OF ENVIRONMENTAL SERVICES UNDER DELEGATED POWERS OR IN IMPLEMENTATION OF A PREVIOUS COMMITTEE DECISION

REGENCY

Application No: BH2008/02562
10 Sillwood Place, Brighton

Fell - 1 x Sycamore (no public amenity value)

Applicant: Beechwood Tree Specialists
Approved on 11 Nov 2008

Application No: BH2008/03325
28 Montpelier Street

Fell one Eucalyptus (inappropriate species, too close to property)

Applicant: Tom Fellows
Approved on 17 Nov 2008

Application No: BH2008/03509
Mrs Carole Moorhouse
GFF 4 Clifton Hill
Brighton
BN1 3HL

1 x Plum? - Remove top foliage, trunk to remain

Applicant: Mrs Carole Moorhouse
Approved on 17 Nov 2008

ST. PETER'S & NORTH LAINE

Application No: BH2008/02710
34 Compton Avenue

1 x Sycamore - Prune back overhang to boundary or suitable growth points.

Applicant: Carlos Daly
Approved on 17 Nov 2008

Application No: BH2008/03287
3 Vine Place, Brighton

1 x Sycamore (in garden of 3 Vine Place, overhanging Powis Grove) - Reduce crown by 30% & remove ivy. 1 x Elm (in garden of 3 Vine Place, overhanging Powis Grove) - Reduce crown to the points where it was done 4 years ago.

Applicant: Henry Mason
Approved on 17 Nov 2008

WITHDEAN

Application No: BH2008/03254
10 Friar Close, Brighton

1 x Elm - 30% crown reduction, 30% crown thin, lift light growth to 4m. 1 x Elm - 30% crown thin, 15% crown reduction, crown lift light growth to 5m.

Applicant: Dr and Mrs Goldberg
Approved on 17 Nov 2008

Application No: BH2008/03408
Woodside Lodge, Tivoli Crescent, BN1 5ND

T1 - Ash - Re-pollard. T2 - Sycamore - Reduce & reshape crown by 30% to give a smaller tree in outside dimensions with as natural shape as possible. T3 - Sycamore - Thin crown by 15% to remove branches within the crown giving less density. T4 - Sycamore - Thin crown by 15% to remove branches within the crown giving less density. T5 - Sycamore - Reduce & reshape crown by 30% to give a smaller tree in outside dimensions with as natural shape as possible. Remove or cut back low branches to give a 4m clearance from ground level. Reduce back branches on client's side. T6 - Sycamore - Reduce & reshape crown by 30% to give a smaller tree in outside dimensions with as natural shape as possible. Remove or cut back low branches to give a 4m clearance from ground level. Reduce back branches on client's side.

Applicant: Connick Tree Care
Approved on 17 Nov 2008

Application No: BH2008/03588
2A Croft Road, BN1 5TJ

1 x Sycamore (front garden) - Reduce & reshape by 25%. 1 x Beech (rear garden) - Formative shape by 25% to growth points. 1 x Holly - Reduce & reshape by 30% to reduce leaf cover.

Applicant: Mr & Mrs Coelho
Approved on 17 Nov 2008

Application No: BH2008/03608
Stamford Lodge, Cumberland Road

1 x Himalayan Birch - reduce crown by 30% to include back from building. 1 x Common Yew - reduce crown by 30%. 1 x Horse Chestnut - remove epicormic growth, 30% crown reduction and 30% crown thin, or, if climbing inspection dictates, repollard. 1 x Common Lime - remove epicormic growth up to original pollard point, reduce crown by 20% and lift crown to 5m above ground. Thin crown by 20%. 1 x Pink Chestnut - deadwood, 30% crown reduction to balance. 1 x Common Lime - remove epicormic growth up to original pollard point, reduce crown by 30%, thin crown by 30%. 1 x Norway Maple - remove epicormic growth up to 20 ft above ground. Reduce crown by 25%, thin crown by 20%. 1 x Purple leaf Plum - thin crown by 25%, reduce crown by 25%, remove 1 x 2" diameter branch to NW of trunk, above laurel bush. 1 x Voss Laburnum - remove 1 branch, max 20% crown reduction. 1 x Purple leaf plum - reduce crown by 25%. 1 x Copper Beech - reduce crown by 20%, thin crown by 20%, remove small dead branches, carefully remove end 1.6m of cracked wall displaced by bole of tree. 1 x Horse Chestnut - crown lift to 5m, reduce crown by 20%, thin crown by 20%. 1 x Common Lime - remove epicormic growth up to original pollard point. Thin crown by 20%, reduce crown by 20%. 1 x Horse Chestnut - remove epicormic growth to 5m, reduce crown by 20%, thin crown by 20%.

Applicant: Mr D Westgate
Approved on 17 Nov 2008

MOULSECOOMB & BEVENDEAN

Application No: BH2008/02391
1b Natal Road

1 x Aesculus hippocastanum - 30% canopy reduction.

Applicant: Peter Fuller
Approved on 17 Nov 2008

QUEEN'S PARK

Application No: BH2008/03218
12 West Drive, BN2 0GD

Fell 1 x Prunus, flowering cherry

Applicant: Simon Keane
Approved on 11 Nov 2008

Application No: BH2008/03390
22 South Avenue, Brighton

1 x Acer pseudoplatanus - Fell

Applicant: Peter Fuller
Approved on 11 Nov 2008

WOODINGDEAN

Application No: BH2008/03203
51 Crescent Drive North

T3 - 3 x Sycamore - Reduce to height of gutter of house

Applicant: Connick Tree Care
Approved on 17 Nov 2008

BRUNSWICK AND ADELAIDE

Application No: BH2008/03324
Flat 1, 15 Palmeira Avenue

1 x Bay Tree - Fell to ground level (bush-like, minimum public amenity value)

Applicant: J Hatch
Approved on 17 Nov 2008

Application No: BH2008/03396
Flat 1 Basement, 38 Selborne Road, Hove

2 x Sycamores - Thinning to maintain trees & allow more light into the garden. Need to lift canopy by 2/3 metres reducing selected branches to restore balance.

Applicant: Ms Beatrix Musker
Approved on 17 Nov 2008

Application No: BH2008/03397
33 First Avenue, Hove

Fell one Sycamore (damage to boundary wall)

Applicant: Duncan Armstrong
Approved on 11 Nov 2008

WGOLDSMID

Application No: BH2008/03516
54 The Drive

1 x Sycamore (rear of 54 The Drive) - Remove lowest 3-4 branches over 29 Wilbury Road. Prune back overhang to 29 Wilbury Road by approx 50% and blend in with remainder.

Applicant: Carlos Daly
Approved on 17 Nov 2008

STANFORD

Application No: BH2008/03245
Goldstone Reservoir, Woodland Drive, Hove

11 x Sycamores - 40% crown reduction and 30% crown thin, to include clearing crowns away from properties where applicable, remove ivy.

Applicant: KPS Contractors
Approved on 17 Nov 2008

WESTBOURNE

Application No: BH2008/03345
26 Westbourne Villas

1 x Apple Tree - 30% Crown reduction, thin remaining crown, possibly remove old stub cuts, possibly remove dead wood. All work is to be carried out with an eye to encouraging fruiting spurs in the lower crown.

Applicant: Heads Up Tree Surgery
Approved on 11 Nov 2008